

Safety Data Sheet

Product: POMOCO AO-ETD

SDS No: 18-10835A

SECTION 1 GENERAL INFORMATION



PIEDMONT CHEMICAL INDUSTRIES I, LLC
331 BURTON STREET
HIGH POINT, NC 27261

Telephone: 336-885-5131
In case of emergency call chemtrec: 1-800-424-9300
Outside of U.S.A.: 001-703-527-3887
Date: 12/1/2016

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture in accordance with 29 CFR 1910.1200 (OSHA HCS/GHS).

GHS - Classification

Eye Damage/Irritation (Category 2B)
Skin Corrosion/Irritation (Category 2)

Signal Word:

WARNING

Hazard Statement(s)

H320 Causes eye irritation
H315 Causes skin irritation

Precautionary Statement(s)

P264 Wash hands thoroughly after handling.
P280 Wear protective gloves/eye protection/protective clothing.
P302 + P352 IF ON SKIN: Wash with plenty of water for at least 15 minutes or more while removing clothing.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes or more. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical attention
P501 Dispose of contents in container in accordance with local/state/federal/international regulations.

SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT	CAS#	PERCENTAGE
----------------------	------	------------

SPECIFIC CHEMICAL IDENTITY AND PERCENTAGE (CONCENTRATION) MAY BE A TRADE SECRET AS ALLOWED BY 29 CFR 1910.1200

SECTION 4 FIRST AID MEASURES

EYES: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES, OCCASIONALLY LIFTING EYELIDS. GET MEDICAL ATTENTION.
SKIN: FLUSH SKIN WITH WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHES. LAUNDRER BEFORE REUSE.
INGESTION: IF MATERIAL IS SWALLOWED, GIVE WATER TO DILUTE AND GET IMMEDIATE MEDICAL ATTENTION.
INHALATION: IF AFFECTED, REMOVE INDIVIDUAL TO FRESH AIR.

SECTION 5 FIRE FIGHTING MEASURES

FLASH POINT: >200F
EXTINGUISHING METHOD: USE WATER, CARBON DIOXIDE, DRY CHEMICAL OR FOAM.
SPECIAL FIRE FIGHTING PROCEDURES: USE SELF CONTAINED BREATHING APPARATUS.
UNUSUAL FIRE FIGHTING PROCEDURES: PRODUCT WILL BURN UNDER FIRE CONDITIONS.

SECTION 6 ACCIDENTIAL RELEASE MEASURES

ND = NOT DETERMINED NA = NOT APPLICABLE

Safety Data Sheet

Product: POMOCO AO-ETD

SDS No: 18-10835A

PERSONAL PRECAUTIONS: Ensure adequate ventilation. Keep people away from and upwind of spill/leak.

ENVIRONMENTAL PRECAUTIONS: Avoid subsoil penetration. Do not flush into surface water or sanitary sewer system. Advise water authority if spillage has entered water course or drainage system.

METHODS FOR CLEAN UP: Use mechanical handling equipment. Soak up with inert absorbent material(e.g. sand, silica gel, acid binder, universal binder, sawdust)

SPILL: VENTILATE AREA, PERSONS PERFORMING CLEAN-UP SHOULD WEAR ADEQUATE PROTECTION EQUIPMENT. CONTAIN MATERIAL BY DIKING THE AREA AROUND THE SPILL. IF THE PRODUCT IS IN A SOLID FORM, SHOVEL DIRECTLY INTO RECOVERY DRUMS. IF THE PRODUCT IS A LIQUID, IT SHOULD BE PICKED UP USING A SUITABLE ABSORBANT MATERIAL, THEN SHOVELED TO RECOVERY DRUMS. IF THE MATERIAL IS RELEASED INTO THE ENVIRONMENT, THE USER SHOULD DETERMINE WHETHER THE SPILL SHOULD BE REPORTED TO THE APPROPRIATE LOCAL, STATE AND FEDERAL AUTHORITIES.

SECTION 7 HANDLING AND STORAGE

HANDLING AND STORAGE: MATERIAL SHOULD BE STORED IN ITS OWN CONTAINER AND SHOULD ALWAYS BE KEPT COVERED WHEN NOT IN USE.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

ROUTES OF EXPOSURE: EYES SKIN INGESTION INHALATION

SYMPTOMS OR ACUTE HEALTH HAZARDS

EYES: CAUSES EYE IRRITATION.

SKIN: CAUSES SKIN IRRITATION.

INGESTION: HARMFUL IF SWALLOWED.

INHALATION: MAY BE HARMFUL IF INHALED.

RESPIRATORY PROTECTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR.

VENTILATION USE SUFFICIENT MECHANICAL(GENERAL)OR LOCAL EXHAUST.

PROTECTIVE EQUIPMENT: GLOVES FACESHIELD APRON GOGGLES IMPERVIOUS COVERALLS

WORK/ HYGIENIC PRACTICES: AS WITH ALL INDUSTRIAL CHEMICALS, CARE SHOULD BE TAKEN TO AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. HANDS AND UNPROTECTED SKIN SHOULD BE THOROUGHLY WASHED AND CONTAMINATED CLOTHING SHOULD BE CHANGED PRIOR TO ANY DIRECT PERSONAL CONTACT. ALL EXPOSED CLOTHING SHOULD BE LAUNDERED PER NORMAL CARE INSTRUCTIONS BEFORE REUSE

EXPOSURE LIMITS

LIMITS

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

PH: 6.0 5%

SOLUBILITY: SOLUBLE IN WATER

SPECIFIC GRAVITY: N.D.

APPEARANCE: CLEAR AMBER LIQUID

Bod: NO DATA

Cod: NO DATA

Odor: MILD

OdorThreshold: NO DATA

MeltingPoint: NO DATA

BoilingPoint: NO DATA

Evaporation Rate: NO DATA

Vapor Pressure: NO DATA

Vapor Density: NO DATA

Auto Ignition Temperature: NA

LEL: NA

UEL: NA

VOC: NO DATA

FlashPoint: >200F

SECTION 10 STABILITY AND REACTIVITY

STABILITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

DECOMPOSITION PRODUCTS: OXIDES OF NITROGEN AND CARBON.

CONDITIONS AND MATERIALS TO AVOID: HEAT, SPARKS, FLAME, IGNITION SOURCES

SECTION 11 TOXICOLOGICAL INFORMATION

ND = NOT DETERMINED NA = NOT APPLICABLE

Safety Data Sheet

Product: POMOCO AO-ETD

SDS No: 18-10835A

ACUTE TOXICITY: NO DATA
Chronic Toxicity: NO DATA
Carcinogenicity: NONE
Target Organ Effects: NO DATA

This product has not yet been tested. The information is derived from the properties of the individual components.

SECTION 12 ECOLOGICAL INFORMATION

Ecotoxicity: NO DATA
Persistence Degradability: NO DATA
Bioaccumulation: NO DATA
Mobility: NO DATA

This product has not yet been tested. The information is derived from the properties of the individual components.

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal of this product should be made in accordance with federal state and local regulations.

SECTION 14 TRANSPORT INFORMATION

TRANSPORTATION: NOT REGULATED BY D.O.T.

SECTION 15 REGULATORY DATA

TITLE III-SARA: THE FOLLOWING DATA IS BEING SUPPLIED IN COMPLIANCE WITH TITLE III SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) PART 313 AND 40 CFR 372
THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS FOUND ON THE SARA LIST IN 40 CFR 372.

CALIFORNIA PROPOSITION 65: CONTAINS NO MATERIALS KNOWN TO BE ON THE CALIFORNIA PROPOSITION 65 LIST.

Listed on the following inventories: TSCA

TSCA: Y

SECTION 16 OTHER INFORMATION

Large Spill: Isolate spill or leak area in all directions for at least 50 meters (150 feet) for liquids and at least 25 meters (75 feet) for solids.

Fire: If tank, rail car or tank truck is involved in a fire, ISOLATE for 800 meters (1/2 mile) in all directions; also, consider initial evacuation for 800 meters (1/2 mile) in all directions.

Other Info:

DISCLAIMER

THE INFORMATION GIVEN HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE WHETHER ORIGINATING WITH THIS COMPANY OR NOT. THE INFORMATION IS OFFERED SOLELY FOR YOUR CONSIDERATION. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT THE INFORMATION IS CURRENT AND SUITABLE FOR THEIR NEEDS.

End of SDS