Safety Data Sheet

Product: SITREX AG		SDS N	o: 21-7577A				
SECTION 1 GENERAL INFORMATION							
PIEDMONT CHEMICAL INDUSTR	IES I, LLC Te	lephone:	336-885-5131				
331 BURTON STREET	In	case of emergency call chemtrec:	1-800-424-9300				
HIGH POINT, NC 27261	O	utside of U.S.A.:	001-703-527-3887				
	Re	evised Date:	4/12/2021				
SE	CTION 2 HAZARD(S) IDENTIFI	CATION					
Classification of the substance or mixture in accor	dance with 29 CFR 1910.1200 (OS	HA HCS/GHS).					
GHS - Classification	Signal Word:	Warning					
Eye Damage/Irritation (Category 1) Skin Corrosion/Irritation (Category 2) Flammable Liquid (Category 4)		>					
Hazard Statement(s)	d Statement(s) Precautionary Statement(s)						
H227 Combustible liquid H319 Causes serious eye irritation	P210	Keep away from heat/sparks surfaces. No smoking.	Keep away from heat/sparks/open flames/hot surfaces. No smoking.				
	P264	Wash hands thoroughly after	handling.				
	P280	Wear protective gloves/eye protection/protective clothing].				
	P302 + P352		F ON SKIN: Wash with plenty of water for at east 15 minutes or more while removing				
	P305 + P351 + P3	minutes or more. Remove c					
	P333 + P313 If skin irritation or rash occurs: Get attention.		-				
	P337 + P313	If eye irritation persists: Ge	t medical attention				
P403 + P235 Store in a we		Store in a well-ventilated pla	ce. Keep cool.				
	P501	Dispose of contents in contain with local/state/federal/inter regulations.	ontents in container in accordance ate/federal/international				
SECTION 3 C	COMPOSITION/ INFORMATION	ON INGREDIENTS					

SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS					
HAZARDOUS INGREDIENT	CAS#	PERCENTAGE			
DOCUSATE SODIUM	577-11-7	5-15%			

SPECIFIC CHEMICAL NAME(S) AND CAS NUMBER(S) MAY BE A TRADE SECRET AS ALLOWED BY 29 CFR 1910.1200

SECTION 4 FIRST AID MEASURES					
EYES: SKIN:	FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES,OCCASIONALLY LIFTING EYELIDS. GET MEDICAL ATTENTION. WASH EXPOSED AREAS WITH SOAP AND WATER. IF IRRITATION PERSIST, SEEK MEDICAL ATTENTION.				
INGESTION:	DO NOT INDUCE VOMITING IF PERSON IS CONSCIOUS. CALL A PHYSICIAN WHO CAN TREAT SYMPTOMS THAT ARE PRESENT.				
INHALATION	REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF BREATHING STOPPED, GIVE ARTIFICIAL RESPIRATION				

SECTION 5 FIRE FIGHTING MEASURES

Safety Data Sheet

Г

MeltingPoint:

BoilingPoint:

NO DATA

NO DATA

UNUSUAL FIRE FIGHTING PROCEDURES: CARBON OXIDES SECTION 6 ACCIDENTIAL RELEASE MEASURES PERSONAL PRECAUTIONS: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ENVIRONMENTAL PRECAUTIONS: Avoid subsoil penetration. Do not flush into surface water or assumpt sever system. Advise water aut spillage has entered water course or drainage system. METHODS FOR CLEAN UP: Use mechanical handling equipment. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, ur binder, sawdust) SPILI: VENTILATE AREA, PERSONS PERFORMING CLEAN-UP SHOULD WEAR ADEQUATE PROTECTION EQUIPMENT. CONTAIN N BY DRING THE AREA, AROUND THE SPILI, IF THE PRODUCT IS IN A SOLD FORM, SHOVEL DI DETERMINE WHETH SPULI SHOULD BE REPORTED TO THE ANTERIAL IS RELEASED INTO THE ENVIRONMENT, THE USER SHOULD DETERMINE WHETH SPILL SHOULD BE REPORTED TO THE HAPROPRIATE LOCAL, STATE AND FEDERAL AUTINORTIES. SECTION 7 HANDLING AND STORAGE HANDLING AND STORAGE: MATERIAL SHOULD BE STORED IN ITS OWN CONTAINER AND SHOULD ALWAYS BE KEPT COVE WHEN NOT IN USE. SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION ROUTES OF EXPOSURE: CONTROLS AND PERSONAL PROTECTION SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION ROUTES OF EXPOSURE: CAUSES SERIOUS EVE REMTATION SECTION 7 HANDLING AND STORAGE HANDLING AND STORAGE: SECTION 7 HANDLING AND STO	577A					
PERSONAL PRECAUTIONS: Ensure adequate ventilation. Keep people away from and upwind of spill/leak. ENVIRONMENTAL PRECAUTIONS: Avoid subsoil penetration. Do not flush into sufface water or sanitary sewer system. Advise water aud spillage has entered water course of drainage system. METHODS FOR CLEAN UP: Use mechanical handling equipment. Soak up with inert absorbent material(e.g. sand, silica gel, acid binder, ur binder, sawdust) SPIL I: VENTILATE AREA, PERSONS PERFORMING CLEAN-UP SHOULD WEAR ADEQUATE PROTECTION EQUIPMENT. CONTAIN N BY DIKING THE AREA AREND THE SPILL IF THE PRODUCT IS IN A SOLID FORM, SHOVEL DERECITY, INTO RECOVERY 1 THE PRODUCT IS A LIQUID, IT SHOULD BE PICKED UP USING A SUITABLE ABSORMANT MATERIAL, THEN SHOVELED TO RECOVERY DRIVENS, IF THE MATERIAL IS RELEASED INTO THE EXVIRONMENT, THE USER SHOULD DETERMINE WHETH SPILL SHOULD BE REPORTED TO THE APPROPRIATE LOCAL, STATE AND FEDERAL AUTHORITIES. SECTION 7 HANDLING AND STORAGE HANDLING AND STORAGE: MATERIAL SHOULD BE STORED IN ITS OWN CONTAINER AND SHOULD ALWAYS BE KEPT COVE WHEN NOT IN USE. SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION ROUTES OF EXPOSURE: SEVEN SIN I INGESTION I INHALATION SYMPTOMS OR ACUTE HEALTH HAZARDS EYES: CAUSES SERIOUS EYE IRRITATION SKIN: CAUSES SKIN IRRITATION. INHALATION: MONE CURRENTLY KNOWN. RESPIRATORY PROTECTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL/GENERAL/OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: GLOVES A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL/GENERAL/OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: GLOVES A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL/GENERAL/OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: GLOVES A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL/GENERAL/OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: GLOVES A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL/GENERAL/OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: GLOVES A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SU	EXTINGUISHING METHOD:USE WATER, CARBON DIOXIDE, DRY CHEMICAL OR FOAM.SPECIAL FIRE FIGHTING PROCEDURES:USE SELF-CONTAINED BREATHING APPARATUS. WEAR FULL PROTECTIVE CLOTHING.					
ENVIRONMENTAL PRECAUTIONS: Avoid subsoil penetration. Do not flush into surface water or sanitary sewer system. Advise water and spillage has entered water course or drainage system. METHODS FOR CLEAN UP: Use mechanical handling equipment. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, ur binder, sawduss) SPILL: VENTILATE AREA, PERSONS PERFORMING CLEAN-UP SHOULD WEAR ADEQUATE PROTECTION EQUIPMENT. CONTAIN N BY DIKING THE AREA, AROUND THE SPILL IF THE PRODUCT IS IN A SOLID FORM, SHOVEL DIRECTLY INTO RECOVERY 1 THE PRODUCT IS A LQUID, TO SHOULD BE PICKED UP UNIGG A SUTTABLE ABSORBANT MATERIAL, THEN SHOVELDE TO RECOVERY DRUMS. IF THE MATERIAL IS RELEASED INTO THE LENVIRONMENT, THE USER SHOULD DETERMINE WHETH SPILL SHOULD BE REPORTED TO THE APPOPRIATE LOCAL, STATE AND FEDERAL AUTHORTIES. SECTION 7 HANDLING AND STORAGE: MATERIAL IS RELEASED INTO THE LENVIRONMENT, THE USER SHOULD DETERMINE WHETH SPILL SHOULD BE REPORTED TO THE APPOPRIATE LOCAL, STATE AND FEDERAL AUTHORTIES. SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION ROUTES OF EXPOSURE: EVES SKIN VINCESSION VINCONTAINER AND SHOULD ALWAYS BE KEPT COVE WHEN NOT IN USE. EYES: CAUSES SERIOUS EYE IRRITATION SKIN: CAUSES SERIOUS EYE IRRITATION SKIN: CAUSES SERIOUS EYE IRRITATION. NONE CURRENTLY KNOWN. RESPIRATORY PROTECTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR. VENTILATION: WORE SUFFICIENT MECHANICAL/GENERALOR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: VIG BLOVENS FACESHIELD APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL/GENERALOR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: VIG BLOVENS FACESHIELD APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL, SCARE SHOULD BE TAKEN TO AVOID CONTACT WITH SKIN, AND CLOTHING HANDS AND UNPROTECTED SKIN SHOULD BE TAKEN TO AVOID CONTACT WITH SKIN, AND CLOTHING HANDS AND UNDROFT CODE NOA VOID CONTACT WITH SKIN, AND CLOTHING SHOULD BE CLANNED PRIOR TO ANY DIRECT PERSONAL CONTA EXPOSED CLOTHING SHOULD BE CLANDED PRIOR TO ANY DIRECT PERSONAL CONTA EXPOSED CLOTHING SHOULD BE						
spillage has entered water course or drainage system. METHODS FOR CLEAN UP: Use mechanical handling equipment. Soak up with inert absorbent material(e.g. sand, silica gel, acid binder, ur binder, sawdust) SPILI: VENTILATE AREA, PERSONS PERFORMING CLEAN-UP SHOULD WEAR ADEQUATE PROTECTION EQUIPMENT. CONTAIN N BY DIKING THE AREA AROUND THE SPILI. IF THE PRODUCT IS NA SOLID FORM, SHOVEL DIRECTLY INTO RECOVERY Y THE PRODUCT IS A LIQUID, IT SHOULD BE PICKED UP USING A SUITABLE ABSORBANT MATERIAL, THEN SHOVELED TO RECOVERY Y DRUMS. IF THE MATERIAL IS RELEASED INTO THE ENVIRONMENT, THE USER SHOULD DETERMINE WHETH SPILL SHOULD BE REPORTED TO THE APPROPRIATE LOCAL, STATE AND FEDERAL AUTHORITIES. SECTION 7 HANDLING AND STORAGE HANDLING AND STORAGE: MATERIAL SHOULD BE STORED IN ITS OWN CONTAINER AND SHOULD ALWAYS BE KEPT COVE WHEN NOT IN USE. SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION ROUTES OF EXPOSURE: PERSON SKIN PINGESTION IN THALATION SYMPTOMS OR ACUTE HEALTH HAZARDS EYES: CAUSES SKIN INRITATION. NGESTION: MAY CAUSE IRRITATION. NGESTION: MAY CAUSE IRRITATION. NGESTION: MAY CAUSE IRRITATION. NIGESTION: WAY CAUSE IRRITATION. NIMALATION: USE SUFFICIENT MECHANICAL/GENERALOR LEMAUST. PROTECTIVE EQUIPMENT: PREDED, USE A NICHA APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL/GENERALOR LEMAUST. PROTECTIVE EQUIPMENT: PREDED, USE A NICHA APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL/GENERALOR LAWAUST. PROTECTIVE EQUIPMENT: AS WITH ALL INDUSTRIAL CHEMICALS, CARE SHOULD BE THOROUGHLY WASHED CONTAMINATED CLOTHING SHOULD BE CLANGED PERNORAL CARE INSTRUCTIONS DERVED USEN AND CLOTHING SHOULD BE CLANGED PERNORAL CARE INSTRUCTIONS DEPORE RE EXPOSURE LIMITS DOCUSATE SODIUM						
binder, sawdust) SPILL: VENTILATE AREA, PERSONS PERFORMING CLEAN-UP SHOULD WEAR ADEQUATE PROTECTION EQUIPMENT. CONTAIN BY DIKING THE AREA AROUND THE SPILL IF THE PRODUCT IS IN A SOLID FORM, SHOVEL DIRECTLY INTO RECOVERY I THE PRODUCT IS A LIQUID. IT SHOULD BE PICKED UP USING A SUITABLE ABSORBANT MATERIAL. THEN SHOVELED TO RECOVERY DRUMS. IF THE MATERIAL IS RELEASED INTO THE ENVIRONMENT. THE USER SHOULD DETERMINE WHETH SPILL SHOULD BE REPORTED TO THE APPROPRIATE LOCAL, STATE AND FEDERAL AUTHORITIES. SECTION 7 HANDLING AND STORAGE HANDLING AND STORAGE: MATERIAL IS RELEASED INTO THE ENVIRONMENT. THE USER SHOULD DETERMINE WHETH SPILL SHOULD BE REPORTED TO THE APPROPRIATE LOCAL, STATE AND FEDERAL AUTHORITIES. SECTION 7 HANDLING AND STORAGE HANDLING AND STORAGE: MATERIAL SHOULD BE STORED IN ITS OWN CONTAINER AND SHOULD ALWAYS BE KEPT COVE WHEN NOT IN USE. SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION ROUTES OF EXPOSURE: PEYS SIN IN IN INGESTION IN INHALATION SYMPTOMS OR ACUTE HEALTH HAZARDS EYES: CAUSES SERIOUS EYE IRRITATION. SYMPTOMS OR ACUTE HEALTH HAZARDS EYES: CAUSES SERIOUS EYE IRRITATION. INGESTION: MAY CAUSE IRRITATION. INGESTION: MAY CAUSE IRRITATION. INGESTION: MAY CAUSE IRRITATION. INGESTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR. VENTILATION: WORE CURRENTLY KNOWN. RESPIRATORY PROTECTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL/GENERAL/OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: GIL GLOVES FACESHIELD APPROVED RESPIRATOR. VENTILATION: WORK/ HYGIENIC PRACTICES; AS WITH ALL INDUSTRIAL CHEMICALS, CARE SHOULD BE TAKEN TO AVOID CONTACT WITH SKIN, AND CLOTHING SHOULD BE CHANGED PRIOT ANY DIRECT PERSONAL CONTA EXPOSED CLOTHING SHOULD BE CHANGED PRIOT ANY DIRECT PERSONAL CONTA EXPOSED CLOTHING SHOULD BE CHANGED PRIOT ANY DIRECT PERSONAL CONTA EXPOSED CLOTHING SHOULD BE LAUNDERED PEN NORMAL CARE INSTRUCTIONS BEFORE RI EXPOSURE LIMITS DOCUSATE SODIUM	hority if					
BY DIKING THE AREA AROUND THE SPILL. IF THE PRODUCT IS IN A SOLD FORM, SHOVEL DIRECTLY. INTO RECOVERY 1 THE PRODUCT IS A LIQUID, IT SHOULD BE PICKED UP USING A SUITABLE ABSORBANT MATERIAL, THEN SHOVELED TO RECOVERY DRUMS. IF THE MATERIAL IS RELEASED INTO THE ENVIRONMENT, THE USER SHOULD DETERMINE WHETH SPILL SHOULD BE REPORTED TO THE APPROPRIATE LOCAL, STATE AND FEDERAL AUTHORITIES. SECTION 7 HANDLING AND STORAGE HANDLING AND STORAGE: MATERIAL SHOULD BE STORED IN ITS OWN CONTAINER AND SHOULD ALWAYS BE KEPT COVE WHEN NOT IN USE. SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION ROUTES OF EXPOSURE: ☑ EYES ☑ SKIN ☑ INGESTION ☑ INHALATION SYMPTOMS OR ACUTE HEALTH HAZARDS EYES: CAUSES SERIOUS EYE IRRITATION SKIN: CAUSES SERIOUS EYE IRRITATION SKIN: CAUSES SERIOUS EYE IRRITATION INHALATION: NONE CURRENTLY KNOWN. RESPIRATORY PROTECTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL GENERALOR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: ☑ GLOVES ☐ FACESHIELD ☑ APRON ☑ GOGGLES ☐ IMPERVIOUS COVI WORK/ HYGIENIC PRACTICES: AS WITH ALL INDUSTRIAL CHEMICAL, CARE SHOULD BE TAKEN TO AVOID CONTACT WITH H SKIN, AND CLOTHING, SHOULD BE LAUNDERED PRINT O AVOID CONTACT WITH H SKIN, AND CLOTHING, SHOULD BE CHANGED PRINT O AVOID CONTACT WITH H SKIN, AND CLOTHING, SHOULD BE LAUNDERED PRINT O AVOID CONTACT WITH H SKIN, AND CLOTHING SHOULD BE LAUNDERED PRINT ON AND UNPROTECTED SKIN SHOULD BE THOROUGHLY WASHED CONTAMINATED CLOTHING SHOULD BE LAUNDERED PRINT O AVOID CONTACT WITH H SKIN, AND CLOTHING SHOULD BE LAUNDERED PRINT ON AND INFERVICUTIONS BEFORE RE EXPOSUEL LIMITS LIMITS DOCUSATE SODIUM EXPOSUED LIMITS IN THE DE DIMETED DOCUSATE SODIUM PROTECTIONE HERE AND THE DE DIMETED PROTECIA RATE: NO DATA	niversal					
HANDLING AND STORAGE: MATERIAL SHOULD BE STORED IN ITS OWN CONTAINER AND SHOULD ALWAYS BE KEPT COVE WHEN NOT IN USE. SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION ROUTES OF EXPOSURE: EXPOSURE SERIOUS EYE ISKIN IN INGESTION IN INHALATION SYMPTOMS OR ACUTE HEALTH HAZARDS EYES: CAUSES SERIOUS EYE IRRITATION SKIN: CAUSES SKIN IRRITATION. INGESTION: MAY CAUSE IRRITATION. INHALATION: NONE CURRENTLY KNOWN. RESPIRATORY PROTECTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL (GENERAL)OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: I GLOVES FACESHIELD I APRON I GOGGLES IMPERVIOUS COVI WORK/ HYGIENIC PRACTICES: AS WITH ALL INDUSTRIAL CHEMICALS, CARE SHOULD BE TAKEN TO AVOID CONTACT WITH F SKIN, AND CLOTHING HANDS AND UNPROTECTED SKIN SHOULD BE THOROUGHLY WASHED CONTAMINATED CLOTHING SHOULD BE CHANGED PRIOR TO ANY DIRECT PERSONAL CONTA EXPOSED CLOTHING SHOULD BE LAUNDERED PER NORMAL CARE INSTRUCTIONS BEFORE RI EXPOSURE LIMITS DOCUSATE SODIUM EXPOSURE LIMITS Ca. 6.5 PH:: CA. 6.	BY DIKING THE AREA AROUND THE SPILL. IF THE PRODUCT IS IN A SOLID FORM, SHOVEL DIRECTLY INTO RECOVERY DRUMS. IF THE PRODUCT IS A LIQUID, IT SHOULD BE PICKED UP USING A SUITABLE ABSORBANT MATERIAL, THEN SHOVELED TO RECOVERY DRUMS. IF THE MATERIAL IS RELEASED INTO THE ENVIRONMENT, THE USER SHOULD DETERMINE WHETHER THE					
WHEN NOT IN USE. SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION ROUTES OF EXPOSURE: SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION SYMPTOMS OR ACUTE HEALTH HAZARDS EYES: CAUSES SERIOUS EYE IRRITATION SKIN © INGESTION © INHALATION SKIN: CAUSES SERIOUS EYE IRRITATION. INGESTION: MAY CAUSE IRRITATION. INGESTION: MAY CAUSE IRRITATION. INGESTION: MAY CAUSE IRRITATION. INHALATION: NONE CURRENTLY KNOWN. RESPIRATORY PROTECTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL(GENERAL)OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: © GLOVES □ FACESHIELD ♥ APRON © GOGGLES □ IMPERVIOUS COVID WORK/ HYGIENIC PRACTICES: AS WITH ALL INDUSTRIAL CHEMICALS, CARE SHOULD BE TAKEN TO AVOID CONTACT WITH H SKIN, AND CLOTHING HANDS AND UNPROTECTED SKIN SHOULD BE THOROUGHLY WASHED CONTAMINATED CLOTHING SHOULD BE CHANGED PRION TO ANY DIRECT PERSONAL CONTA EXPOSED CLOTHING SHOULD BE LAUNDERED PER NORMAL CARE INSTRUCTIONS BEFORE RIST DOCUSATE SODIUM SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES PH::::::::::::::::::::::::::::::::::::						
ROUTES OF EXPOSURE: Image: Skin	HANDLING AND STORAGE: MATERIAL SHOULD BE STORED IN ITS OWN CONTAINER AND SHOULD ALWAYS BE KEPT COVERED					
SYMPTOMS OR ACUTE HEALTH HAZARDS EYES: CAUSES SERIOUS EYE IRRITATION SKIN: CAUSES SKIN IRRITATION. INGESTION: MAY CAUSE IRRITATION. INHALATION: NONE CURRENTLY KNOWN. RESPIRATORY PROTECTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL (GENERAL)OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: I GLOVES I GLOVES I FACESHIELD WORK/ HYGIENIC PRACTICES: AS WITH ALL INDUSTRIAL CHEMICALS, CARE SHOULD BE TAKEN TO AVOID CONTACT WITH IN SKIN, AND CLOTHING. HANDS AND UNPROTECTED SKIN SHOULD BE THOROUGHLY WASHED CONTAMINATED CLOTHING SHOULD BE CHANGED PRIOR TO ANY DIRECT PERSONAL CONTA EXPOSED CLOTHING SHOULD BE LAUNDERED PER NORMAL CARE INSTRUCTIONS BEFORE REPOSURE LIMITS DOCUSATE SODIUM SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES PH: Ca.6.5 @ PH: Ca.6.5 @ PH: Ca.6.5 @ PH: Ca.6.5 @ Evaporation Rate: NO DATA						
EYES: CAUSES SERIOUS EYE IRRITATION SKIN: CAUSES SKIN IRRITATION. INGESTION: MAY CAUSE IRRITATION. INHALATION: NONE CURRENTLY KNOWN. RESPIRATORY PROTECTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL(GENERAL)OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: Image: Colorest in the color of the colo						
SKIN: CAUSES SKIN IRRITATION. INGESTION: MAY CAUSE IRRITATION. INHALATION: NONE CURRENTLY KNOWN. RESPIRATORY PROTECTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL(GENERAL)OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: Image: Gloves image						
INGESTION: MAY CAUSE IRRITATION. INHALATION: NONE CURRENTLY KNOWN. RESPIRATORY PROTECTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL(GENERAL)OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: Image: Constraint of the constrai						
INHALATION: NONE CURRENTLY KNOWN. RESPIRATORY PROTECTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL(GENERAL)OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: Image: Constraint of the						
RESPIRATORY PROTECTION: IF NEEDED, USE A NIOSH APPROVED RESPIRATOR. VENTILATION: USE SUFFICIENT MECHANICAL(GENERAL)OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: Image: Contract and Contract an						
VENTILATION: USE SUFFICIENT MECHANICAL (GENERAL) OR LOCAL EXHAUST. PROTECTIVE EQUIPMENT: Image: Gloves in the constraint of the const						
PROTECTIVE EQUIPMENT: Image: Constraint of the second						
WORK/ HYGIENIC PRACTICES: AS WITH ALL INDUSTRIAL CHEMICALS, CARE SHOULD BE TAKEN TO AVOID CONTACT WITH IN SKIN, AND CLOTHING. HANDS AND UNPROTECTED SKIN SHOULD BE THOROUGHLY WASHED CONTAMINATED CLOTHING SHOULD BE CHANGED PRIOR TO ANY DIRECT PERSONAL CONTA EXPOSED CLOTHING SHOULD BE LAUNDERED PER NORMAL CARE INSTRUCTIONS BEFORE REPOSURE LIMITS EXPOSURE LIMITS LIMITS DOCUSATE SODIUM SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES PH: Ca. 6.5 @ Evaporation Rate: NO DATA						
SKIN, AND CLOTHING. HANDS AND UNPROTECTED SKIN SHOULD BE THOROUGHLY WASHED CONTAMINATED CLOTHING SHOULD BE CHANGED PRIOR TO ANY DIRECT PERSONAL CONTA EXPOSED CLOTHING SHOULD BE LAUNDERED PER NORMAL CARE INSTRUCTIONS BEFORE REDOCUSATE SODIUM EXPOSURE LIMITS DOCUSATE SODIUM SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES PH: ca. 6.5 @ Evaporation Rate: NO DATA	ERALLS					
DOCUSATE SODIUM SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES PH: ca. 6.5 @ Evaporation Rate: NO DATA	WORK/ HYGIENIC PRACTICES: AS WITH ALL INDUSTRIAL CHEMICALS, CARE SHOULD BE TAKEN TO AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. HANDS AND UNPROTECTED SKIN SHOULD BE THOROUGHLY WASHED AND CONTAMINATED CLOTHING SHOULD BE CHANGED PRIOR TO ANY DIRECT PERSONAL CONTACT. ALL EXPOSED CLOTHING SHOULD BE LAUNDERED PER NORMAL CARE INSTRUCTIONS BEFORE REUSE					
SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES PH: ca. 6.5 @ Evaporation Rate: NO DATA						
PH: ca. 6.5 @ Evaporation Rate: NO DATA						
Evaporation Rate: NO DATA						
vapor Pressure: NO DATA						
SPECIFIC GRAVITY: N.D. Vapor Density: NO DATA						
APPEARANCE: WHITE LIQUID Auto Ignition Temperature: NA						
Bod: NO DATA LEL: NA						
Cod: NO DATA UEL: NA						
Odor: MILD VOC: NO DATA						
OdorThreshold:NO DATAFlashPoint:>149FMeltingPoint:NO DATA						

SECTION 10 STABILITY AND REACTIVITY

Safety Data Sheet

Product: SILTREX AG

SDS No: 21-7577A

STABILITY:STABLEHAZARDOUS POLYMERIZATION:WILL NOT OCCURDECOMPOSITION PRODUCTS:NONE KNOWNCONDITIONS AND MATERIALS TO AVOID:NONE KNOWN

SECTION 11 TOXICOLOGICAL INFORMATION

ACUTE TOXICITY:NO DATAChronic Toxicity:NO DATACarcinogenicity:NONETarget Organ Effects:NO DATA

This product has not yet been tested. The information is dervied from the properties of the individual components.

SECTION 12 ECOLOGICAL INFORMATION

Ecotoxicity:	NO DATA
Persistence Degradability:	NO DATA
Bioaccumulation:	NO DATA
Mobility:	NO DATA

This product has not yet been tested. The information is dervied from the properties of the individual components.

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal of this product should be made in accordance with federal state and local regulations.

SECTION 14 TRANSPORT INFORMATION

TRANSPORTATION: NOT REGULATED BY DOT

MARINE TRANSPORTATION ONLY UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID N.O.S. (SILVER CHLORIDE) 9 PGIII (MARINE POLLUTANT)

SECTION 15 REGULATORY DATA

 TITLE III-SARA:
 THE FOLLOWING DATA IS BEING SUPPLIED IN COMPLIANCE WITH TITLE III SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) PART 313 AND 40 CFR 372

THIS PRODUCT DOES NOT CONTAIN ANY CHEMICALS FOUND ON THE SARA LIST IN 40 CFR 372.

CALIFORNIA PROPOSITION 65: CONTAINS NO MATERIALS KNOWN TO BE ON THE CALIFORNIA PROPOSITION 65 LIST.

SECTION 16 OTHER INFORMATION

Large Spill: NA

Fire: NA

Listed on the following inventories: TSCA

DISCLAIMER

THE INFORMATION GIVEN HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE WHETHER ORIGINATING WITH THIS COMPANY OR NOT. THE INFORMATION IS OFFERED SOLELY FOR YOUR CONSIDERATION. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT THE INFORMATION IS CURRENT AND SUITABLE FOR THEIR NEEDS.

End of SDS